

# **Field Report for Airborne Data Collected In Support of US EPA Region 6 Intercontinental Terminals Company LLC Fire 8 April 2019**

## **Background**

On 17 March 2019 a large fire was reported at the Intercontinental Terminals Company LLC (ITC) located in Deer Park, TX. Local reports indicate that the fire started at about 1030 local in an 80,000 barrel (capacity) tank storing naphtha. The ITC facility is located on the southern shore of the Houston ship channel in the City of Deer Park, TX. The geographical coordinates of the facility are 19.7322N, 95.1236W (figure 1).

The material reported in the fire is Naphtha. Naphtha is generally composed of either the first or second sequence of distillate obtained during primary distillation. Light naphtha is composed of light fraction straight chain and simple aromatics, typically less than 6 carbons while heavy naphtha consist of larger compounds (C6 plus) which normally is used as feed for catalytic cracking. Since the fraction of Naphtha is crude dependent, there is not a simple formula for the material.

The US EPA Region 6 requested that the ASPECT system be deployed to provide monitoring support on 17 March 2019 and ASPECT completed a 7 pass mission at 1847 local. Acetone was detected on the first 2 passes (data collection 3 and 4) which were near the fire at a concentration estimated below 1 ppm (0.154 ppm and 0.357 ppm, respectively). No other compounds were detected.

ASPECT conducted a second flight over the facility on 18 March 2019. Analysis of IR data confirmed reports that the fire had expanded to multiple tanks. Specifically, the thermal signature of the fire and resulting heated air plume was measurably larger than that observed in the first flight. Crew reports indicated that the plume rise was still active with the lofted plume occupying a region between 2000 and 6500 feet above ground with movement to the west. Spectral analysis of FTIR data indicated that compounds including 1-butene, 2-butene, isoprene, and acetone were detected primarily in a downwind portion of the plume with the highest values being just above 1 ppm.

ASPECT conducted a third flight over the ITC fire on 19 March 2019. Analysis of data indicated that the fire had grown as evident by the larger thermal signature and direct confirmation from aerial images. Plume geometry was assessed with the aircraft with findings showing the plume was about 47 miles in length, 17 miles wide at the largest extent and ranged in altitude from a floor of 1500 feet to a ceiling of 5000 feet. No chemical detections were reported on this flight.

ASPECT conducted a fourth flight over the ITC fire on 20 March 2019. Analysis of data indicated that the fire had been extinguished. Analysis of FTIR data showed detections of acetone and SO<sub>2</sub> to west of the farm and isobutylene and isoprene south of the farm. All concentrations were detected below 1 ppm.

Due to reports of vapors observed in the Deer Park vicinity ASPECT was requested to fly a fifth mission on 21 March 2019 near the impacted tank farm, and locations in Deer Park, La Porte, Galena Park and Jacinto City. Analysis of data showed normal temperatures within the farm and low levels of typical compounds within the urban atmosphere. Detected compounds included acetone and isobutylene at concentrations at or below 1 ppm.

ASPECT conducted a series of flight on 22 March 2019 with the focus being a possible breach of the tank farm secondary containment structure, discharge of foam and other material from the tank farm migrating into the ship channel and investigation of a re-ignition of a fire in the tank farm. IR results clearly showed the presence of material migrating into the ship channel and the presence of hot spots within the tank farm (corresponding to the fire). Detected compounds included acetone, 1, 3-butadiene, 1-butene, isobutylene and isoprene. Compounds detected in the general vacuity had concentrations less than 0.5 ppm while detections north of the tank farm during the fire showed levels less than 2 ppm.

ASPECT was dispatched on 23 March 2019 to fly a general data collection mission over the tank farm, at the confluence boom area on the ship channel and in a residential area northwest of the general area. Data continued to show that tanks in the NW corner were warmer than others in the tank farm with estimated temperatures being in the 30°C to 40°C range. IR images collected over the confluence into the ship channel showed boomed oil products with some leakage occurring. No chemical detections were observed on the flight.

ASPECT conducted a short flight on 24 March 2019 but was forced to return to base due to weather. Note that this aborted mission was flight 11. ASPECT conducted flight 12 on 25 March 2019 with the goal to conduct a general survey at the tank farm and downwind of the site. Imagery continued to show that tanks in the NW corner were warmer than others in the tank farm. IR images collected over the confluence into the ship channel continued to show boomed oil products with some leakage occurring with sheen being driven to the southwest due to winds. No significant chemical detections were observed on this flight.

ASPECT conducted flight 12 on 26 March 2019 with the goal to conduct a general survey at the tank farm and downwind of the site. Imagery collected on this flight indicated that the NW tanks in the tank farm were cooler than on previous flights. IR data collected over the confluence into the ship channel continued to show sheen in the waterway. No significant chemical detections were observed on this flight.

ASPECT conducted a flight 14 on 27 March 2019 with the goal to conduct a general survey at the tank farm and downwind of the site. Imagery collected on this flight indicated that the NW tanks in the tank farm were essentially at ambient temperature. Analysis of FTIR data showed one cluster of isobutylene north of the site at maximum levels of 1.60 ppm. IR and photographic data collected over the confluence area showed a reduction in the amount of trapped product. Leakage was still present but in less amounts as on prior flights.

ASPECT conducted flight 15 on 28 March 2019 with the goal to conduct a general survey at the tank farm and downwind of the site. The flight was impacted by isolated low level clouds. Imagery collected on this flight indicated that the NW tanks in the tank farm were at ambient temperature. IR and photographic data collected over the confluence area indicated that product was captured by the upstream boom and no significant boom leakage was present.

ASPECT conducted flight 16 on 31 March 2019. Imagery collected over the tank farms showed that six of the tanks in the farm are in the process of being removed. All structures were found to be at ambient temperature. IR and photographic data collected over the confluence area indicated that product continues to be present in the boom network with some leakage observed pushed against the ship channel boom. No compound detections were observed on this mission.

ASPECT conducted flight 17 on 1 April 2019 with the goal to conduct a general survey at the tank farm and downwind of the site. Imagery collected over the tank farms showed a similar state as on the prior flight, namely that six of the tanks in the farm are in the process of being removed or collapsed. IR and photographic data collected over the confluence area indicated that product continues to be present in the boom network with some leakage. No compound detections were observed on the mission.

The tank farm, confluence and downwind areas were flown on the morning of 2 April 2019 as part of flight 18. Imagery collected over the tank farms showed a similar state as on the prior flights with no change in the character of the site or tanks. IR and photographic data collected over the confluence area indicated that product continues to be present in the boom network with some sheen leakage in the northeast most structure. No compound detections were observed on this mission.

ASPECT conducted flight 20 on 3 April 2019 with the goal to conduct a general survey at the tank farm and downwind of the site. Imagery collected over the tank farms showed no significant change from the mission on 2 April 2019. IR and photographic data collected over the confluence area indicated that product continues to be present in the boom network with minor sheen leakage in the northeast most boom structure. No compound detections were observed on the mission.

ASPECT was requested to fly the tank farm, confluence and downwind areas on the morning of 8 April 2019. This report summarizes the findings of the mission.




Figure 1: ITC, Deer Park, TX

**ASPECT response to this Mission/Incident was in support of:**  
US EPA Region 6. OSC: John Martin

### ASPECT System

The US EPA ASPECT system collects airborne infrared (IR) images and chemical screening data from a safe distance over the site (about 3,000 ft AGL). The system consists of an airborne high speed Fourier transform infrared spectrometer (FTIR) coupled with a wide-area IR line scanner (IRLS). The ASPECT IR systems have the ability to detect compounds in both the 8 to 12 micron (800 to 1200  $\text{cm}^{-1}$ ) and 3 to 5 micron (2000 to 3200  $\text{cm}^{-1}$ ) regions. The 8 to 12 micron region is typically known as the atmospheric window region since the band is reasonably void of water and carbon dioxide influence. Spectrally, this region is used to detect carbon - non-carbon bonded compounds. The 3 to 5 micron region is also free of water and carbon dioxide but typically does not have sufficient energy for use. This band does show use in high-energy environments such as fires. The carbon - hydrogen stretch is very common in this region.

A digital Nikon DX2 camera (12.4 mega pixel CMOS 3:5 aspect ratio, 28 mm wide-angle lens) collects visible aerial imagery as part of the core data product package. The camera timing system is connected to the primary IR sensors and provides concurrent image collection when other sensors are triggered. All imagery is geo-rectified using both aircraft attitude correction (pitch, yaw, and roll) and GPS positional information. Imagery can be processed while in flight or approximately 600 frames per hour can be processed once the data are downloaded from the aircraft.

An Imperx mapping camera (29 mega pixels; mapping focal plane array) provides a similar aspect ratio and aerial coverage. Like the Nikon DX2, it is connected to the primary IR sensors and provides concurrent image collection when other sensors are triggered. These images are often digitally processed in lower resolution so they can be transmitted via satellite communication. The high resolution images (>20 MB each) are pulled from the ASPECT after the sortie and are available at a later time.

All aerial photographic images collected by the ASPECT system are ortho-rectified and geospatially validated by the reachback team. In general, this consists of conducting geo-registration using a Digital Elevation Model (DEM) which promotes superior pixel computation and lessens topographic distortion. The image is then check by a team member (using a Google Earth base map) for proper location and rotation

Data is processed using automated algorithms onboard the aircraft with preliminary results being sent using a satellite system to the ASPECT reachback team for QA/QC analysis. Upon landing preliminary data results are examined and validated by the reachback team.

## **Data Results Flight 21, 8 April 2019**

### **Weather Conditions and Crew Report**

Weather for the mission is given in table 1. The crew reported that winds at flight level (2800 ft) were from 000 degrees at 30 kts (15.4 m/s). Moderate turbulence was encountered with no significant ground activity observed on the ground.

**Table 1. ITC Fire Mission Weather 8 April 2019**

Parameter	Surface (1230)
Wind direction	335 degrees
Wind speed	8 m/s
Temperature	23.3°C
Humidity	60%
Dew Point	15.5°C
Pressure	1014 mb
Ceiling	Unlimited

Due to several days of poor weather, ASPECT returned to Addison, TX from the span of 4 April until the call for the mission. The aircraft was over the site at 1224 A total of total of 5 data collection passes were made in association with ITC. Flight information is summarized in Appendix A and Figure 2.




Figure 2: Flight line data for 8 April 2019, Flight 21. The blue lines represent the ASPECT flight path, green lines represent when the Infrared Line Scanner was actively collecting data, and the camera icons represent when a photo was taken.

### **General Data Quality Objective**

The following general data quality objectives are employed in conducting emergency response data collection with ASPECT:

1. To support overall situational analysis of the incident including aerial photography and IR imagery
2. To screen the incident for the presence of selected chemicals
3. To estimate the location and concentration of plumes being generated by the incident.

### **Line Scanner Data Results**

A total of 1 test and 5 data passes were made in the proximity of the impacted tank farm and also in extended areas surrounding the site and infrared line scanner images were generated for each pass. Figure 3 shows a typical 3-band infrared image obtained from data collected for Run 5. IR imagery of the tank farm indicates that the heavily damaged tanks show normal solar heating while the two tanks in the NE corner show minimal solar heating.

An IR image of the confluence area is given in Figure 4. A significant reduction in trapped product is evident. The remaining product seems to be along the southern booms on the ship channel with what appears to be some material pushed along the booms on



the channel side of the boom. Based on the IR imagery there appears to be no sheen leaking from the booms so the material on the outside of the booms may be channel debris.




Figure 3: IR image of ITC data for 8 April 2019, Flight 21, Run 4



Figure 4: IR Image of Contained Oil 8 April 2019, Fight 21, Run 5

### **FTIR Data Results**

FTIR Spectral data at a resolution of 16 wavenumbers was collected for each pass. ASPECT uses an automated detection algorithm to permit compounds to be analyzed while the aircraft is in flight. 72 compounds are included in this algorithm and the list and associated detection limits are given in Tables 2. In addition, collected data are also



manually analyzed by comparing any detected spectral signatures to a collection of published library spectra.

Low levels of isoprene (0.76 ppm), 1-butene (1.55 ppm) and 1, 3-butadiene (0.70 ppm) were detected upwind of the site. No detections were observed on top or downwind of the tank farm. Details of the detection locations and data collection are given in Figure 5 and Table 3, respectively.

**TABLE 2 - Chemicals Included in the ASPECT Auto-Processing Library**

Acetic Acid	Cumene	Isoprene	Propylene
Acetone	Diborane	Isopropanol	Propylene Oxide
Acrolein	1,1-Dichloroethene	Isopropyl Acetate	Silicon Tetrafluoride
Acrylonitrile	Dichloromethane	MAPP	Sulfur Dioxide
Acrylic Acid	Dichlorodifluoromethane	Methyl Acetate	Sulfur Hexafluoride
Allyl Alcohol	Difluoroethane	Methyl Ethyl Ketone	Sulfur Mustard
Ammonia	Difluoromethane	Methanol	Nitrogen Mustard
Arsine	Ethanol	Methylbromide	Phosgene
Bis-Chloroethyl Ether	Ethyl Acetate	Methylene Chloride	Phosphine
Boron Tribromide	Ethyl Formate	Methyl Methacrylate	Tetrachloroethylene
Boron Trifluoride	Ethylene	MTEB	1,1,1-Trichloroethane
1,3-Butadiene	Formic Acid	Naphthalene	Trichloroethylene
1-Butene	Freon 134a	n-Butyl Acetate	Trichloromethane
2-Butene	GA (Tabun)	n-Butyl Alcohol	Triethylamine
Carbon Tetrachloride	GB (Sarin)	Nitric Acid	Triethylphosphate
Carbonyl Chloride	Germane	Nitrogen Trifluoride	Trimethylamine
Carbon Tetrafluoride	Hexafluoroacetone	Phosphorus Oxychloride	Trimethyl Phosphite
Chlorodifluoromethane	Isobutylene	Propyl Acetate	Vinyl Acetate

**Table 3. Chemical Results Summary, Flight 21**

Run	Date	Time (UTC)	Chemical	Max Concentration ppm
1	8 April 2019	1224	ND	None
2		1227	ND	None
3		1229	Isoprene	0.76
4		1232	1-Butene Butadiene	1.55 0.70
5		1238	ND	None
ND – Non-detect				




Figure 5. FTIR detection locations, 8 April 2019, Flight 21

### Aerial Photography Results

A full set of high resolution aerial digital photography was collected as part of the flight. Figure 6 shows a representative overhead image collected as part of each pass over the tank farm. Analysis of the image shows no change from imagery collected on 3 April 2019. The dark hue on the left side of the image is a cloud shadow. Figure 7 shows an oblique image of the tank farm and confirms no change from the 3 April 2019 flight.

The confluence area aerial image is given in figure 9. Examination of the image shows a small amount of dark product trapped in the channel booms. No significant leakage of product or sheen is present. An oblique of the confluence area confirms that material is located on the outside of the channel booms (most likely pushed into position by the wind). No sheen is evident in the image.




Figure 6: Aerial Image of the Tank Farm, 8 April 2019, Flight 21



Figure 7: Oblique Image of the Tank Farm (looking north) , 8 April 2019 Flight 21





Figure 8: Aerial Image of the Ship Channel Boom Area, 8 April 2019, Flight 21



Figure 9: Oblique Image of the Ship Channel Boom Area, 8 April 2019, Flight 21

## Conclusions

ASPECT conducted flight 21 on 8 April 2019 with the goal to conduct a general survey at the tank farm and downwind of the site. Low levels of isoprene (0.76 ppm), 1-butene (1.55 ppm) and 1, 3-butadiene (0.70 ppm) were detected upwind of the site. No detections were observed on top or downwind of the tank farm. Imagery of the tank farm area indicated no significant change from the mission on 3 April 2019. IR and photographic data collected over the confluence area indicated that amount of trapped product appears to be greatly reduced from the previous flight. Some material is present on the outside of the boom structure and may be channel debris. No sheen was observed in the imagery.

## Appendix A

### Abbreviations:

DEM – Digital elevation model  
Alt – Altitude (in feet)  
MSL – Mean sea level altitude (in feet)  
Digital – Digital photography file from the Nikon D2X camera  
MSIC – Digital photography file from the Imperx mapping camera  
FTIR – Spectral IR data collected with a Fourier Transform  
Infrared Spectrometer  
IRLS – Infrared Line Scanner  
Jpg – JPEG image format  
UTC – Universal Time Coordinated  
img – Spectral data format based on Grams format

Mission: 2019-04-08 ITC Fire

Date: 4/8/2019

Time UTC: 16:50

Aircraft Number: N9738B

Pilot: Beorn Ledger

Copilot: Todd Seale

Operator: James Crisp

Aft Operator: Steven Brister

Ground Controller: Tim Curry

DEM: Using elevation from DEM Database

Run: 1 Time: 17:24:25 UTC

Alt: 2879 ft MSL Elev: 22 ft Elevation from DEM Database

Vel: 111 knots Heading: 270

Digitals: None

MSIC: 3

20190408172431807.jpg

20190408172438171.jpg

20190408172444521.jpg

FTIR: 1

20190408\_172430\_A.igm

IRLS: None

Gamma Runs: None

Run: 2 Time: 17:27:27 UTC  
Alt: 2938 ft MSL Elev: 23 ft Elevation from DEM Database  
Vel: 114 knots Heading: 265

Digitals: None

MSIC: 3

20190408172733392.jpg

20190408172739742.jpg

20190408172746101.jpg

FTIR: 1

20190408\_172731\_A.igm

IRLS: None

Gamma Runs: None

-----  
Run: 3 Time: 17:29:59 UTC  
Alt: 2761 ft MSL Elev: 24 ft Elevation from DEM Database  
Vel: 101 knots Heading: 270

Digitals: None

MSIC: 4

20190408173005010.jpg

20190408173011375.jpg

20190408173017724.jpg

20190408173023169.jpg

FTIR: 1

20190408\_173002\_A.igm

IRLS: None

Gamma Runs: None

-----  
Run: 4 Time: 17:32:29 UTC  
Alt: 2981 ft MSL Elev: 19 ft Elevation from DEM Database  
Vel: 78 knots Heading: 340

Digitals: None

MSIC: 5

20190408173235723.jpg

20190408173242088.jpg

20190408173249342.jpg

20190408173255707.jpg

20190408173259326.jpg

FTIR: 1

20190408\_173233\_A.igm

IRLS: None

Gamma Runs: None

-----  
Run: 5 Time: 17:38:08 UTC  
Alt: 2781 ft MSL Elev: 2 ft Elevation from DEM Database  
Vel: 124 knots Heading: 226



Digitals: None

MSIC: 6

20190408173814382.jpg

20190408173821636.jpg

20190408173827991.jpg

20190408173834355.jpg

20190408173840704.jpg

20190408173842514.jpg

FTIR: 1

20190408\_173812\_A.igm

IRLS: None

Gamma Runs: None

Mission Complete: 18:01 (UTC)